# Electronic Design 1974 Annual Index of Articles

## Circuits & Circuit Theory

A/d converter remembers signal peaks whose duration is less than 50 ns...IFD, ED 12, p. 152

Algebra finds logic-circuit glitches ...ART, ED 4, p. 90

Approximate logs easily...ART, ED 9, p. 176.

Avoid wiring-inductance problems... ART, ED 25, p. 62

Biphase waveforms generated by shift-register circuits...IFD, ED 16, p. 112

Boost audio-amplifier efficiencies... ART, ED 8, p. 96

Boost transistor-level supply voltages to make a low-power, high-voltage supply...IFD, ED 21, p. 126

Bootstrapped RC differentiator performs accurately without phase inversion...IFD, ED 5, p. 60

Build a general-purpose power supply with built-in temperature protection...IFD, ED 23, p. 144

Build high-gain, wide-range log amps ...ART, ED 6, p. 116

Burst of preset number of pulses obtained with easily expanded circuit...IFD, ED 21, p. 126

Bypass multivariable Karnaugh maps ...ART, ED 21, p. 86

Calculate with a v/f converter... ART, ED 12, p. 130

Circuit adds BCD numbers with binary 4-bit full adders...IFD, ED 25, p. 92

Circuit provides slow auto-wiper cycling, with one to 20 seconds between sweeps...IFD, ED 26, p. 108

Circuit warns automobile driver when he exceeds preset speed...IFD, ED 26, p. 106

Clean up your logic schematics... ART, ED 13, p. 80

Clocked circuit debounces multiple single-throw contacts synchronously...IFD, ED 6, p. 158

**Department key**

| | |
|---|---|
| ART | Technical Article |
| IFD | Idea for Design |
| NEWS | News |
| PF | Product Feature |
| SR | Special Report |

Combinatorial logic circuit calculates the absolute difference of numbers...IFD, ED 14, p. 114

Comparator detects volts in narrow window and accurately nulls to reference level...IFD, ED 20, p. 124

Consider more than power...ART, ED 26, p. 74

Consider the indefinite matrix... ART, ED 2, p. 76

Convert two-port circuit parameters ...ART, ED 20, p. 76

Counter has symmetrical output though the input signal is asymmetrical...IFD, ED 20, p. 118

Counter resets itself reliably with one additional flip-flop...IFD, ED 20, p. 126

Coupling circuit ensures drive current from op amp to emitter-follower booster...IFD, ED 15, p. 108

Curb analog data errors with PCM ...ART, ED 12, p. 124

Current clamp blocks destructive discharges of large filter capacitors ...IFD, ED 12, p. 150

Customize your audio filter...ART, ED 11, p. 94

Design CMOS commutative filters... ART, ED 23, p. 116

Design a floating-point a/d converter ...ART, ED 11, p. 80

Design a nonaveraging tachometer ...ART, ED 6, p. 122

Design rf oscillators...ART, ED 20, p. 70

Differential amplifier will allow low-distortion output from mixer... IFD, ED 17, p. 124

Digital delay circuit for one-shot controls timing interval in programmable integer steps...IFD, ED 2, p. 94

Digital three-phase signals cover wide frequency range...IFD, ED 19, p. 178

Double multiplexer logic capability ...ART, ED 17, p. 86

ECL 10,000 interconnects economically...ART, ED 20, p. 90

Edge-triggered R-S flip-flop built without capacitors...IFD, ED 3, p. 80

Electronic ignition system uses standard components...IFD, ED 24, p. 198

EXCLUSIVE-OR circuit handles wide range of input levels without power supply...IFD, ED 2, p. 78

Few extra components adapt 741 op amps for high-voltage-swing applications...IFD, ED 9, p. 206

Fine control of high-power voltage with a low-current variable transformer...IFD, ED 13, p. 116

FOCUS on DC/DC converters...SR, ED 23, p. 70

FOCUS on Packaged oscillators... SR, ED 19, p. 118

Four-digit BCD programmability featured in variable modulus 60-MHz counter...IFD, ED 6, p. 156

Four-input EXCLUSIVE-NOR gate made from a BCD-to-decimal converter...IFD, ED 17, p. 118

Frequency doubler covers wide frequency range for unsymmetric square waves...IFD, ED 16, p. 114

Full and half-step motor operation obtained with 3-1/2-chip stepper circuit...IFD, ED 18, p. 102

## Subject Listing

- Circuits & Circuit Theory
- Communications, Microwaves & Lasers
- Components
- Computers & Data Processing
- Consumer Electronics
- Displays
- Electro-Optics
- General Industry
- Industrial Electronics
- Management
- Materials & Packaging
- Medical Electronics
- Military & Aerospace
- Semiconductors
- Test & Measuring

Full first pulse is assured in variable-frequency, gated oscillator... IFD, ED 23, p. 146

Gain set accurately with a single resistor in a high-performance differential amplifier... IFD, ED 19, p. 172

Generate a linear sweep of uniform duty cycle and amplitude... IFD, ED 22, p. 154

Generate a PSK modulated wave with an all-digital circuit... IFD, ED 23, p. 142

Get high voltage with low-cost multipliers... ART, ED 13, p. 64

Get notch Qs in the hundreds... ART, ED 16, p. 96

Get standby LSI memory power... ART, ED 12, p. 116

High-speed s/h circuit gives gain up to 1000... PF, ED 12, p. 168

Hows and whys of log amps... ART, ED 3, p. 52

IC timer, stabilized by crystal, can provide subharmonic frequencies ... IFD, ED 23, p. 148

Improve memory systems with 4-k RAMs... ART, ED 22, p. 100

Improved dot-matrix generator ignores empty display positions... IFD, ED 14, p. 112

Inexpensive AM modulator replaces clipping types and gives less distortion... IFD, ED 20, p. 122

Inexpensive low-Q bandpass filters made with tweaked standard chokes... IFD, ED 11, p. 110

Interface CMOS logic with switches ... ART, ED 17, p. 80

Is a crowbar alone enough... ART, ED 20, p. 106

Know your converter codes... ART, ED 22, p. 130

Laser trimmed, 12-bit DACs offer tempcos of 1 ppm/°C... PF, ED 13, p. 142

Less than 1.5% distortion over 1000:1 range provided by swept-frequency oscillator... IFD, ED 1, p. 154

Linear systems analysis simplified ... ART, ED 11, p. 70

Look to asynchronous sequential logic... ART, ED 20, p. 98

Low-cost data converters provide 0.01% linearity... PF, ED 1, p. 167

Low-cost way to send digital data... ART, ED 2, p. 68

Match impedances accurately and easily... ART, ED 5, p. 46

Modified data-transmission module can handle ASCII and BCD... IFD, ED 8, p. 110

Modified differential amplifier controls p-i-n diode attenuator... IFD, ED 2, p. 90

Multiple-feedback bandpass circuit allows use of standard capacitors in elliptic filter... IFD, ED 7, p. 76

Multiplex signals the analog way... ART, ED 15, p. 74

Multiplexed operation of MOS registers more than doubles the data rate... IFD, ED 3, p. 76

Need a special power supply... ART, ED 23, p. 110

One-shot adds the clock pulses to help recover phase-encoded data ... IFD, ED 7, p. 78

Op amp in current-differencing mode becomes a noninverting audio mixer... IFD, ED 10, p. 130

Op amps multiplex analog signals without need for FET switches... IFD, ED 13, p. 118

Opto-isolator logic units... ART, ED 12, p. 92

Passive system tames high static electricity... NEWS, ED 7, p. 25

Pick the right DAC... ART, ED 10, p. 110

Plot your voltage-divider designs... ART, ED 17, p. 102

Precision timer can be used to make a stable, adjustable crowbar driver ... IFD, ED 21, p. 130

Prevent damaging overloads... ART, ED 5, p. 58

Prevent op-amp output instability... ART, ED 17, p. 98

Program gives filter time response ... ART, ED 9, p. 192

Protect against nuclear transients ... ART, ED 4, p. 64F

Reference voltage can be varied and the optimum zener current maintained... IFD, ED 22, p. 156

Represent transistor beta variations ... ART, ED 19, p. 146

Resolve gain/efficiency conflicts... ART, ED 13, p. 72

Rise of active filters: They're running strong in two major fields... NEWS, ED 13, p. 34

Sharpen active null networks... ART, ED 13, p. 102

Simple feedback circuit improves linearity of light-dependent resistors... IFD, ED 22, p. 148

Simple reconnection reduces rise time of CMOS delay circuit... IFD, ED 1, p. 158

Simple serial/parallel transformations aid network analysis and synthesis... IFD, ED 22, p. 144

Simplify LC rf-oscillator design... ART, ED 19, p. 140

Single EXCLUSIVE-OR quad produces complementary spikes from clock pulses... IFD, ED 13, p. 116

Single part minimizes differences in monostable and astable periods of 555... IFD, ED 15, p. 110

Slash high-voltage power-supply drain... ART, ED 19, p. 158

Slash power converter design time... ART, ED 1, p. 130

Slave clock can run free at center frequency and lock in within one cycle... IFD, ED 24, p. 196

Split a temperature degree to 10 $\mu$°C... ART, ED 10, p. 102

Squeeze more from power supplies ... ART, ED 14, p. 100

Switch high inductive loads fast... ART, ED 3, p. 72

Taming noise in IC op amps... ART, ED 15, p. 64

There's more to thermal drift... ART, ED 8, p. 90

Those bigger n-flops... ART, ED 21, p. 94

Threshold logic can cut gate count ... ART, ED 22, p. 106

Transform the biquad into a biquartic... ART, ED 1, p. 120

Transistor bleeder gives opto-isolator a wide temperature range of operation... IFD, ED 7, p. 74

Transistor reduces output variation in three-terminal regulator circuit ... IFD, ED 9, p. 204

Triple-output dc/dc converter claims highest output power... PF, ED 19, p. 220

True rms voltage conversion... ART, ED 4, p. 66

Try condition/action diagrams... ART, ED 5, p. 50

Unify two-port calculations... ART, ED 1, p. 112

Up/down counter controls pulse width of a one-shot... IFD, ED 24, p. 94

Use CAD to optimize broadband amp design... ART, ED 10, p. 92

Use pulse width modulation... ART, ED 3, p. 68

V/f converters maintain specs while prices drop...PF, ED 21, p. 138
V/f converters offer low power drain, total isolation or programmability ...PF, ED 19, p. 228
Versatile programmable-counter chains are built from simple MSI modules...IFD, ED 11, p. 108
Voltage control is featured in zero-phase-shift filter...PF, ED 5, p. 76
Voltage-tunable active filter features low, high and bandpass...IFD, ED 25, p. 96
Watch out for problems...ART, ED 1, p. 144
Which dc/ac inverter...ART, ED 25, p. 54
Why complicate frequency synthesis ...ART, ED 15, p. 80
Wide-range pulse-shaping circuit gives square waves with 50% duty cycle...IFD, ED 8, p. 116
Wiper noise removed and measured with a single nonlinear filter... IFD, ED 5, p. 64
8-bit a/d converter module cuts size and price in half...PF, ED 26, p. 113
10-MHz differential video line receiver built with monolithic IC transistor array...IFD, ED 9, p. 202
12-bit hybrid a/d converters designed for high performance by two companies...PF, ED 24, p. 209
14-bit a/d converter keeps price/performance ratio low...PF, ED 6, p. 165

## Communications, Microwaves and Lasers

Analyze TV noise performance... ART, ED 20, p. 82
A-power project to try new laser optic setup...NEWS, ED 8, p. 28
CATV, fiber optics and telepathy: The promise and the problems... SR, ED 6, p. 56
Comes the satellite revolution in American communications... NEWS, ED 12, p. 38
Drive fiber-optic lines at 100 MHz ...ART, ED 15, p. 96
Fiber-optic link transmits data at 80 Mbit/s for 100 ft...PF, ED 9, p. 226
First X-ray waveguide opens three new application areas...NEWS, ED 10, p. 21
Ground clutter is rejected by phased-array look-down radar...NEWS, ED 18, p. 38
IMPATT power sources produce 10 mW at 150 GHz...NEWS, ED 5, p. 21
Laser communications spurred by modulation...NEWS, ED 6, p. 26
Laser excited by atomic reaction points to new power possibility... NEWS, ED 23, p. 52
Laser technique promises repair of ICs from 'spares' on the chip... NEWS, ED 26, p. 34
Laser unit to monitor driving visibility...NEWS, ED 26, p. 20
Lasers get powerfully efficient and efficiently small in R&D lab... NEWS, ED 19, p. 32
Low-cost, standard MIC units are within designer's reach...NEWS, ED 12, p. 49
Mm waveguide heralds bigger phone capacity...NEWS, ED 16, p. 33
MW sensor detects oil slicks in sea ...NEWS, ED 7, p. 26
Match impedances in microwave amplifiers...ART, ED 6, p. 108
Mini-laser techniques speed 3-dimensional X-ray imaging...NEWS, ED 5, p. 36
Mobile communications get more megahertz...NEWS, ED 11, p. 26
Multiple-beam antenna could boost communications satellite capacity ...NEWS, ED 14, p. 34
Nerem to focus on radars: limited-scan and CCD aids...NEWS, ED 17, p. 39
Poof! And big reflector forms in ionosphere...NEWS, ED 26, p. 19
Satellites to give WU 30 times more capacity...NEWS, ED 8, p. 28
Semi laser and detectors to use common substrate...NEWS, ED 4, p. 26
Study of internal laser damage may lead to smaller devices...NEWS, ED 16, p. 42
Tunable lasers aid study of atoms and molecules...NEWS, ED 6, p. 26
Vhf, uhf and microwave systems reap cost and efficiency benefits ...NEWS, ED 17, p. 44
Wall Street Journal printed via satellite...NEWS, ED 23, p. 31
With solid-state advances, airborne radar climbs higher...SR, ED 19, p. 67
2-GHz low-noise amplifier features new package style...PF, ED 17, p. 136
35-MHz linear rf amp outputs new high of 300 W...PF, ED 20, p. 150
28,244 calls handled by one phone link...NEWS, ED 23, p. 31

## Components

Aluminum electrolytics are hard to beat...ART, ED 21, p. 78
Amplifier tube claims 'first' in performance...NEWS, ED 20, p. 25
Cadmium-telluride detector has highest sensitivity yet...NEWS, ED 12, p. 53
FOCUS on Rotary and thumbwheel switches...SR, ED 20, p. 56
Fuses or circuit breakers...ART, ED 26, p. 66
Inductance calculation simplified for small air-wound coils...IFD, ED 21, p. 124
In power, longevity and voltage, batteries are reaching new peaks... NEWS, ED 11, p. 28
Iron-core transformers get tiny; Now only the price must shrink... NEWS, ED 25, p. 36
Little-known source of power, the thermal cell, bids for attention... NEWS, ED 20, p. 30
Look out! All electrolytic capacitors ...ART, ED 1, p. 138
Low profile mini-relays can handle up to 26.5 W...PF, ED 26, p. 120
New laminar-flow electron gun promises brighter, better CRTs... NEWS, ED 18, p. 38
Piezoelectric ceramic transducers... ART, ED 18, p. 78
Small crystal gauge overpowers noise...NEWS, ED 5, p. 22
Uncased ceramic disc filters boost available capacitance...PF, ED 15, p. 130

## Computers & Data Processing

Automatic interrogator doesn't need a computer...NEWS, ED 26, p. 19
Basic microcomputer software... ART, ED 9, p. 142
Big, small and tiny computers advance...SR, ED 9, p. 64
Brain-wave system monitors meditation...NEWS, ED 18, p. 20
CCD memories impinge on drum and disc terrain...SR, ED 19, p. 64
Calculator-based acquisition system handles remote sites by phone line...PF, ED 22, p. 163
Calculator-instrument system offers flexible programming...PF, ED 6, p. 66
Ceramic disc memory undergoing tests...NEWS, ED 1, p. 36
Circuit converts unipolar digital data to alternate-mark inverse format ...IFD, ED 4, p. 106
Clues to next IBM computer point to major advances...NEWS, ED 24, p. 27
DEC goes West to build LSI mini... NEWS, ED 5, p. 21
Data display competes with AT&T terminal...NEWS, ED 16, p. 33
Data-logging system mixes mini, printer and tape...PF, ED 2, p. 112
Decentralized networks allowing the computer to be moved to the job ...SR, ED 9, p. 66
Design with lockout logic...ART, ED 15, p. 80
Digital data handled over single pair of wires, with sync lock derived from the data...IFD, ED 19, p. 174

Digital printers juggle data for quick printout analysis...PF, ED 2, p. 104

Extend LSI-processor capabilities... ART, ED 22, p. 90

Ferroelectric semi used for nonvolatile memory...NEWS, ED 19, p. 27

First OEM electron-beam laser scans flat fields in microseconds... NEWS, ED 23, p. 36

First floppy disc peripheral made for microcomputers...PF, ED 20, p. 138

Floppy-disc drive scores low in size and price, high in capability... PF, ED 8, p. 158

FOCUS on Data-acquisition equipment...SR, ED 12, p. 70

FOCUS on Microprocessors...SR, ED 18, p. 52

FOCUS on Minicomputers...SR, ED 2, p. 56

FOCUS on Modems and multiplexers ...SR, ED 22, p. 68

Forget hardware design; start thinking programming...SR, ED 19, p. 64

Four-in-one calculator has PROM modules...NEWS, ED 24, p. 28

Four-function 'scientific'...ART, ED 8, p. 102

Give flexibility to memory systems ...ART, ED 18, p. 72

Great memory battle goes on, but semiconductors appear the ultimate victors...SR, ED 22, p. 40

HP introduces versatile time-sharing system...NEWS, ED 22, p. 27

HP-65 calculator arrives: First pocket programmable...PF, ED 4, p. 120

Hand-held computer terminal gives a full ASCII display...NEWS, ED 9, p. 29

Hitch your telemetry system to a mini...ART, ED 9, p. 158

Honeywell Series 60 eases update process...NEWS, ED 11, p. 25

How HP engineers built world's first pocket programmable calculator ...NEWS, ED 4, p. 34

I²L microprocessor reported being built...NEWS, ED 17, p. 40

IBM saving energy—with computer, naturally...NEWS, ED 6, p. 26

IC specs available in 'seconds' with automatic microfilm systems... NEWS, ED 8, p. 42

Implement complex Boolean expressions...ART, ED 22, p. 114

Improve interrupt handling capability of microprocessor with a few ICs ...IFD, ED 24, p. 202

Improved solid-state memories and microprocessors altering the structure of computers...SR, ED 22, p. 34

Intelligent controller aids remote data-acquisition...PF, ED 26, p. 123

Let a computer design memory circuits...ART, ED 23, p. 122

MOS/LSI microcomputer coding... ART, ED 8, p. 66

MOS memory capability built into IBM typewriter...NEWS, ED 7, p. 25

Matrix or daisy wheel? Thermal or ink jet? Serial printers offer these options and more...SR, ED 22, p. 50

Memory power source outputs a variety of bias voltages...PF, ED 22, p. 222

Microprocessor ICs improve instruments...ART, ED 9, p. 150

Microprocessor runs a facsimile machine...NEWS, ED 17, p. 40

Mini addresses up to 1 Mword without increase in cycle time...PF, ED 21, p. 133

Mini systems grab attention at Interkama...NEWS, ED 25, p. 24

Mini with core or semi offers 200-ns speed and error control...PF, ED 22, p. 166

Minis and mini peripherals will lean more on LSI, and software will be easier to use...NEWS, ED 1, p. 48

Minis monitor weather at nuclear power sites...NEWS, ED 13, p. 32

Minimize computer 'crashes'...ART, ED 9, p. 168

Off-shelf speech recognizers let users talk the data into computer ...NEWS, ED 23, p. 46

Optical coupler helps transmit data and clock signals on single wire pair...IFD, ED 26, p. 104

Optical data systems find a niche in the world of fast, fast computing ...SR, ED 9, p. 126

Optical tape reader speeds at 450 characters a second...PF, ED 9, p. 230

Pocket-calculator race sizzles behind scenes...NEWS, ED 2, p. 27

Point-of-sale systems still need standardized data-code readers ...SR, ED 6, p. 54

Portable printing calculators expected this year at $100...NEWS, ED 4, p. 25

Printer control...ART, ED 25, p. 74

Program cuts logic-design costs... ART, ED 9, p. 186

Program selects standard resistor values for calculated values when tolerance is given...IFD, ED 1, p. 160

Programmable calculators fill middle spot for users...PF, ED 6, p. 65

Programmable frequency multiplier uses octave scaler to simplify programming...IFD, ED 18, p. 100

Reduce state tables by computer... ART, ED 22, p. 122

Sealed disc made for OEMs is rugged and inexpensive...PF, ED 26, p. 126

Secure messages sent via phone by terminal...NEWS, ED 20, p. 26

Short subroutine computes standard component values from nonstandard...IFD, ED 10, p. 134

Shrunken mini thinks like its predecessor...PF, ED 2, p. 108

Smarter terminals join with floppy-disc drives to stretch data capability...SR, ED 9, p. 108

Software for MOS/LSI microprocessors...ART, ED 7, p. 50

Start a logic circuit in the proper mode when power is turned on or interrupted...IFD, ED 16, p. 110

Successive approximation a/d converter uses three ICs and costs under $25...IFD, ED 17, p. 120

TI challenge to HP-35...NEWS, ED 3, p. 24

Take-your-pick software is making the mini mighty, but watch out: it costs...SR, ED 9, p. 78

Team calculators with instruments ...ART, ED 24, p. 176

Time share graphics plotted automatically on a scope...PF, ED 9, p. 225

Time sharing: For engineers who need computing punch beyond that of the calculator...SR, ED 22, p. 56

Two OCR drawbacks reported overcome...NEWS, ED 18, p. 20

Ultimate interface studied: A mind-reading computer...NEWS, ED 16, p. 33

Untangle automatic test equipment ...ART, ED 24, p. 182

Voice-recognition computer responds to virtually anyone...NEWS, ED 18, p. 19

Written data converted to ASCII code by pen...NEWS, ED 17, p. 39

5-MHz bandwidth attained with CRT deflection system...PF, ED 16, p. 132

16-channel acquisition system includes controls...PF, ED 9, p. 244

32-k words squeezed into one core memory...NEWS, ED 24, p. 27

## Consumer Electronics

CMOS parking meter eliminates dead time...NEWS, ED 25, p. 23

Computer spots causes of vehicle accidents...NEWS, ED 19, p. 28

Consumer electronics heading for a year of improvements paced by monolithic ICs...NEWS, ED 1, p. 50

Digital recording used by home video player...NEWS, ED 13, p. 31

Electronics for cars? It's only the beginning...NEWS, ED 1, p. 35

FM stations reducing noise the Dolby way...NEWS, ED 20, p. 26

I²L turns up in wristwatch and a microprocessor chip...NEWS, ED 26, p. 19

IR ignition system...NEWS, ED 6, p. 26

Japanese radar setup deploys car air bags . . . NEWS, ED 6, p. 25
Kodak video player televises 8-mm film . . . NEWS, ED 15, p. 27
Laser-reader sorts baggage for airline . . . NEWS, ED 1, p. 36
Life-cycle appliance costs still rising . . . NEWS, ED 14, p. 30
Microwave car license plate designed with a spate of uses . . . NEWS, ED 19, p. 36
Microwave ovens get solid-state control . . . NEWS, ED 21, p. 24
Microwave ovens safe, IEEE panel reports . . . NEWS, ED 7, p. 25
Radio-controlled nozzle expedites fire fighting . . . NEWS, ED 2, p. 27
Replace mechanical TV tuners . . . ART, ED 19, p. 152
Seiko down-plays the digital watch . . . NEWS, ED 17, p. 40
Sensor-computer setup troubleshoots cars fast . . . NEWS, ED 4, p. 26
Sophisticated large-scale IC chips are turning up in consumer items . . . NEWS, ED 6, p. 36
TV picture quality adjusted automatically . . . NEWS, ED 13, p. 31
Video players for the home turning to card and disc units to cut cost . . . NEWS, ED 13, p. 46
Video recording system employs low-cost discs . . . NEWS, ED 4, p. 26
With new car, TV and power applications, semiconductor makers see no end to boom . . . NEWS, ED 1, p. 44
1-rpm video disc system shown to be feasible . . . NEWS, ED 14, p. 29
4-signal RCA system joins quadraphonic race . . . NEWS, ED 8, p. 27
1978 automobile: Processing systems . . . NEWS, ED 12, p. 30

## Displays

Bicolor LED coming with a simpler drive . . . NEWS, ED 23, p. 31
Body displayed sonically in real time . . . NEWS, ED 7, p. 38
Electrochromic display offers challenge to liquid crystals . . . NEWS, ED 12, p. 44
Flat-panel displays due in 1980 cockpits . . . NEWS, ED 24, p. 28
Flat-panel TV promises are back, but this time they could be for real . . . NEWS, ED 1, p. 76
FOCUS on Displays . . . SR, ED 26, p. 52
Heads-up display gives a wider field of view . . . NEWS, ED 21, p. 52
Improve CRT-display systems with NMOS . . . ART, ED 1, p. 100
Large-scale display to use 3-color LEDs . . . NEWS, ED 9, p. 29
Liquid crystal displays are great—but . . . ART, ED 14, p. 76
Liquid crystals help spot IC defects . . . NEWS, ED 23, p. 31
New switch cuts cost of liquid-crystal panel . . . NEWS, ED 12, p. 30
Now, magnetic bubbles for displays . . . NEWS, ED 16, p. 40
Plasma and liquid crystals take on the champ, CRT . . . SR, ED 19, p. 73
Seminar to evaluate displays of the future . . . NEWS, ED 7, p. 25
Seven-segment display modified to reduce readout confusion . . . IFD, ED 6, p. 158
Should you use LCD or LED displays . . . ART, ED 23, p. 88
Which LCD is best? . . . ART, ED 16, p. 76

## Electro-Optics

Digital-image system reconstructs in color . . . NEWS, ED 26, p. 20
Fiber-optic signal losses reduced by star coupler . . . NEWS, ED 22, p. 27
Night-vision modules yield alterable device . . . NEWS, ED 5, p. 22

## General Industry

Beckman adds a line in process-control field . . . NEWS, ED 18, p. 20
Central maintenance: Wave of the future . . . NEWS, ED 6, p. 25
Demand for engineers reported on rise . . . NEWS, ED 10, p. 22
EIA components show geared to designers . . . NEWS, ED 3, p. 24
Engineers disagree on cause of shortages . . . ART, ED 8, p. 60
'Full house' forecast for Wescon show . . . NEWS, ED 13, p. 31
Growth of additive PC technology expected to double by 1975 . . . NEWS, ED 19, p. 42
IEEE sees ample jobs for flexible engineers . . . NEWS, ED 5, p. 22
Inflation, energy, semiconductors to dominate tomorrow's electronics . . . NEWS, ED 15, p. 40
Japan's electronics: Fighting back . . . SR, ED 26, p. 25
London parley to weigh tomorrow's electronics . . . NEWS, ED 7, p. 26
New rules for faster design . . . ART, ED 9, p. 198
Parts labeling speed raised to 20,000/hr . . . NEWS, ED 10, p. 22
Power-supply boom linked to computers . . . NEWS, ED 1, p. 36
Recycling gives U.S. copper self-sufficiency . . . NEWS, ED 18, p. 19
Reflection of the industry's banner year . . . SR, ED 19, p. 62
Roving course offered on microprocessors . . . NEWS, ED 10, p. 22
Shortages of components forcing engineers to alter their thinking and designs . . . SR, ED 9, p. 136
Soviet to exhibit for export at New York IEEE show . . . NEWS, ED 5, p. 21
Struggle to raise efficiency and power while dropping cost . . . NEWS, ED 7, p. 30
White House office of science backed . . . NEWS, ED 24, p. 28
With an energy crisis at the door, designers begin to think stingy . . . NEWS, ED 2, p. 34
Yet another national shortage: Basic research, across the board . . . NEWS, ED 4, p. 28
3-day work week spurs semiconductor output . . . NEWS, ED 5, p. 21
1960s dream begins to come true under the seas . . . NEWS, ED 18, p. 24

## Industrial Electronics

ICs and transistor provide brain and muscles for motor control . . . NEWS, ED 21, p. 38
Hand-held gas detector promised, with 1-part-per-billion sensitivity . . . NEWS, ED 20, p. 36
Huge fuel cell planned for use by utilities . . . NEWS, ED 2, p. 28
Industrial systems makers gear for a prosperous '74 . . . NEWS, ED 1, p. 35
LED on miner's cap warns of radiation . . . NEWS, ED 16, p. 34
Minis, minis everywhere, when it comes to control of industrial processes . . . SR, ED 9, p. 118
Monolithic switch array developed for phones . . . NEWS, ED 17, p. 40
Newer electronics helping police short-circuit crime at source . . . NEWS, ED 17, p. 56
Ulf direction finder for miners passes tests at 1500-ft depth . . . NEWS, ED 20, p. 32
When the power blows, how safe will your system be . . . SR, ED 19, p. 71

## Management

Aggressive R&D and a dash of serendipity = market success . . . ART, ED 19, p. 78
'Anticipation' is management's best bet . . . ART, ED 2, p. 84
Designs that sell require compromise . . . ART, ED 17, p. 110
Diversity keeps engineers on their toes . . . ART, ED 21, p. 118
Don't be a slave to a project schedule . . . ART, ED 14, p. 106
Every new engineer needs a design guide . . . ART, ED 13, p. 108
Forecasting is an engineering job, too . . . ART, ED 1, p. 148
Getting management behind your project . . . ART, ED 19, p. 166
Good design is a business challenge . . . ART, ED 11, p. 100

Help finish big, creative projects fast ...ART, ED 23, p. 134
How to be a top designer and remain a designer, despite corporate lures ...SR, ED 9, p. 100
Learning to wear two hats on the job ...ART, ED 16, p. 104
Let the engineers run the company ...ART, ED 10, p. 124
'Meet' the applicant before talking to him...ART, ED 25, p. 86
Project success: The main concern in '74...ART, ED 26, p. 98
Remember testing in 1844? If you can't, Siemens Corp. can...SR, ED 24, p. 124
Servicing a high-technology product ...ART, ED 20, p. 114
Spell out specs and contract language...ART, ED 22, p. 138
Start your own electronics business —but look before you leap.... ART, ED 12, p. 142
Stop second-guessing on projects ...ART, ED 4, p. 100
The case for unstructured management...ART, ED 15, p. 102
Today's mature designs, as seen by a young 'old-timer'...SR, ED 24, p. 84
Using consultants takes consultation ...ART, ED 7, p. 70
Want to cut costs to the bone... ART, ED 6, p. 132
When you have no choice but changeover...ART, ED 18, p. 92

## Materials and Packaging

Alternative to multilayers proposed: Stacked PC boards at half the cost ...NEWS, ED 7, p. 40
Better components and materials widening magnetic applications ...SR, ED 1, p. 64
Built-in heat pipe proposed to cool GHz power transistors...NEWS, ED 14, p. 32
Case for using ceramics...ART, ED 8, p. 74
Choose cleaning solvents carefully ...ART, ED 5, p. 54
Cooled alloy promises better magnetic circuits...NEWS, ED 25, p. 24
Disc diffusion expected to lower semi costs...NEWS, ED 22, p. 28
Electron beam produces ICs of 0.2-$\mu$ line width...NEWS, ED 12, p. 30
Explosive bonding is used to connect microcircuits...NEWS, ED 14, p. 29
Film-carrier system used for IC packages...NEWS, ED 19, p. 28
Flexible material changes resistance in one direction...PF, ED 13, p. 160
'Flints' that don't wear out...ART, ED 13, p. 88
FOCUS on Cooling electronic packages...SR, ED 14, p. 62
FOCUS on Round multipin connectors...SR, ED 4, p. 54
From $2.50 to $1500, good systems can save you time in circuit design...NEWS, ED 8, p. 30
Guide to good air cooling...ART, ED 4, p. 76
Hunt is on for ways to counter tight supply of oil-based materials... NEWS, ED 2, p. 38
Impulse-bonded wiring allows fast PC changes...NEWS, ED 8, p. 44
Mini system promises cheaper IC masks...NEWS, ED 21, p. 24
New computer tape resists edge damage...NEWS, ED 7, p. 40
New devices a possibility with IBM 'organic metal'...NEWS, ED 21, p. 23
One-step process bonds copper to ceramic without adhesives...NEWS, ED 14, p. 40
Organic materials investigated for superior semis and memories... NEWS, ED 10, p. 32
PC-board holes made with simpler technique...NEWS, ED 8, p. 27
Plastic protects components at 800 F...NEWS, ED 18, p. 40
Shape foil into a magnetic shield... ART, ED 18, p. 86
Silicon carbide studied for microwave devices...NEWS, ED 11, p. 26
Super-thin copper foil for PCs uses up to 75% less of the metal... NEWS, ED 14, p. 38
Thermal imaging furnaces grow crystals from 'difficult' materials... NEWS, ED 10, p. 34
Thick or thin-film resistors...ART, ED 17, p. 92
Today's resins provide a cure for almost every embedding ill... NEWS, ED 25, p. 28
Why not use hybrids...ART, ED 14, p. 84
X-ray imaging method improves crystal growth...NEWS, ED 15, p. 28
3M substitutes tin for gold in connectors...NEWS, ED 21, p. 23
600 IC contacts possible with elastomeric system...NEWS, ED 6, p. 25

## Medical Electronics

Device simulates effects of heat on human tissue...NEWS, ED 22, p. 28.
Heart monitor replaces skin-piercing methods...NEWS, ED 9, p. 29
Prosthetics, orthotics, etc.—there's new hardware for body...SR, ED 19, p. 69
Simplified biofeedback circuit detects alpha-wave activity...IFD, ED 12, p. 154
Sound sensor detects hard-to-find heart ills...NEWS, ED 15, p. 27
Spurious radio noise viewed as health peril...NEWS, ED 16, p. 34

## Military and Aerospace

Air-traffic radar trainer contains several 'firsts'...NEWS, ED 22, p. 28
Army vehicles to get intelligent terminal...NEWS, ED 25, p. 23
Automatic sonobuoy locator spots up to 31 beacons simultaneously ...NEWS, ED 4, p. 36
Bubble data recorder to be tested by NASA...NEWS, ED 11, p. 25
C-band landing system adopted by the FAA...NEWS, ED 20, p. 26
Computerized van will help Navy train for war without leaving port ...NEWS, ED 23, p. 36
DOD standard designs...NEWS, ED 9, p. 30
Digital storage offered in light-plane radar...NEWS, ED 13, p. 32
Dual radar distinguishes between 2 air targets...NEWS, ED 5, p. 22
Lower atmosphere to be studied by sensors on manned balloon... NEWS, ED 21, p. 48
Military to spend $80-billion in fiscal '74 and more in '75...NEWS, ED 2, p. 27
Navy display speeds weather forecasts...NEWS, ED 16, p. 46
New approach radar proves highly accurate...NEWS, ED 3, p. 24
New flight recorder would warn of accidents...NEWS, ED 2, p. 28
Nuclear ILS for aircraft proves safe and sound in feasibility test... NEWS, ED 16, p. 44
One man radar relies on minicomputer control...NEWS, ED 21, p. 23
Optical design slashes encoded altimeter price...NEWS, ED 3, p. 24
Picosecond timing sharpens laser-rangefinder resolution...NEWS, ED 15, p. 48
Second weather buoy being placed in Pacific...NEWS, ED 13, p. 32
Sensors in space are uncovering clues to new energy sources... NEWS, ED 2, p. 40
Skylab's balking gyros to be used on shuttle...NEWS, ED 4, p. 25
Touch communication investigated by Army...NEWS, ED 10, p. 21
Tough Army survey simplified by software...NEWS, ED 18, p. 19
U.S. gets its first domestic satcom net...NEWS, ED 3, p. 23
With a $3.1-billion budget, NASA sees year of growth...NEWS, ED 3, p. 23

## Semiconductors

Advances on three fronts herald next generation of linear circuits... NEWS, ED 6, p. 32
After 13 years, standardization of opto-isolators is beginning... NEWS, ED 3, p. 26
Amorphous memories ordered by Burroughs...NEWS, ED 1, p. 36

Analog-function array aids instrument designs...PF, ED 20, p. 131

Better and cheaper ICs on the way with two advances in processing ...NEWS, ED 12, p. 34

Bipolar IC microcomputer claims a number of 'firsts'...NEWS, ED 25, p. 23

Bipolar/LSI processor races to the forefront...PF, ED 18, p. 109

Bipolar microcomputer chips set the pace for flexibility...PF, ED 22, p. 185

Bipolar microprocessor—the first to hit the market...NEWS, ED 19, p. 27

Bipolar op amp matches specs of chopper-stabilized units...PF, ED 15, p. 120

Bubble memories advance from chip to module stage...NEWS, ED 12, p. 29

CCD memory emerging an alternate for DEC...NEWS, ED 15, p. 27

CCD memory ICs heading for market...NEWS, ED 10, p. 22

CCDs proving worth in digital memories...NEWS, ED 12, p. 29

CID image sensor a replacement for tubes...NEWS, ED 10, p. 36

CMOS microprocessor stirring design race...NEWS, ED 4, p. 26

Custom IC technology 'for sale' to users...NEWS, ED 15, p. 28

Digital memory sought from organic materials...NEWS, ED 10, p. 22

Divide by 10/11 at high of 512 MHz without power rise...PF, ED 19, p. 183

Electron-beam-projection system gives 3-way improvement in ICs ...NEWS, ED 12, p. 36

FET voltage comparators shrink input currents to pA...PF, ED 18, p. 114

First 'Mill Run' ICs come off the line ...NEWS, ED 15, p. 28

FOCUS on CMOS...SR, ED 6, p. 86

Get gain control of 80 to 100 dB ...ART, ED 13, p. 94

Give the Hall transducer flexibility ...ART, ED 11, p. 88

Heed the limitations of MOS I/O circuitry...ART, ED 10, p. 82

Hex MOS/TTL sense amps have programmed levels...PF, ED 26, p. 116

Hi-fi amplifier IC sets power mark of 15 W with less than 1% distortion...PF, ED 10, p. 141

Improve ROM systems with PROMs ...ART, ED 14, p. 92

Integrated injection logic shaping up as strong bipolar challenge to MOS...NEWS, ED 6, p. 28

Ion implantation: From a specialty to a standard method for new ICs ...NEWS, ED 11, p. 36

LED panel lamps match incandescents at less current...PF, ED 16, p. 150

LSI finding a place in homes in multipurpose alarms...NEWS, ED 8, p. 27

Low-cost, 10-MHz FET op amp provides higher stability...PF, ED 1, p. 178

MOS/bipolar monolithic op amp gives high performance at low cost ...PF, ED 22, p. 182

MOS/LSI microprocessor selection ...ART, ED 12, p. 100

Magnetic bubbles produced in thin films by evaporation...NEWS, ED 22, p. 27

Microprocessors enter boom era—from 4-bit machines and up... SR, ED 6, p. 52

Microprocessors showing promise in test equipment, but haven't made it big yet...SR, ED 9, p. 90

Microprocessors turn to NMOS for speed, CMOS for low power... NEWS, ED 6, p. 38

More bipolars eligible for flip-chip conversion...NEWS, ED 10, p. 21

NMOS microprocessor boosts speed, instruction-set power...PF, ED 8, p. 144

New CCD image structure makes processing easier and lifts yields ...NEWS, ED 6, p. 30

New amplifier increases s/n ratio of CCD imager...NEWS, ED 23, p. 31

New generation of computer foreseen with Josephson devices...NEWS, ED 2, p. 30

New imaging technology grabs hold: Charge-transfer devices...SR, ED 6, p. 59

New memory, the crosstie, stores data in magnetic-domain walls... NEWS, ED 5, p. 34

Op amp combines CMOS and bipolars...NEWS, ED 21, p. 24

Optics and acoustics generate new microelectronic devices...NEWS, ED 10, p. 24

Parley will offer solutions to defects in hybrid circuits...NEWS, ED 20, p. 25

Performance soars as digital LSI moves to center stage...SR, ED 24, p. 42

Power hybrid ICs improve switching-regulator response...IFD, ED 11, p. 119

Quad IC timers squeezed into a 16-pin plastic DIP...PF, ED 16, p. 128

Review the basics of MOS logic... ART, ED 6, p. 98

SOS devices: Not yet making it in LSI...but wait till next year... NEWS, ED 16, p. 36

Simplify UJT relaxation-oscillator design...ART, ED 4, p. 84

Single monolithic chip holds 16-bit microprocessor...PF, ED 25, p. 105

Static 1-k RAM accesses in 80 ns and has chip select...PF, ED 15, p. 122

Superconducting diode promises tenfold decrease in mixer noise... NEWS, ED 10, p. 30

TI MOSFET paces TV tuner race... NEW, ED 14, p. 30

Touchtone converted to pulsed dialing...NEWS, ED 26, p. 20

Triple-varactor IC promises to better the AM car radio...NEWS, ED 10, p. 38

Watch that op-amp noise...ART, ED 6, p. 128

Which IC timer to buy...ART, ED 3, p. 62

2 new RCA RAMs to use SOS/CMOS ...NEWS, ED 24, p. 28

3-1/2-digit a/d chip set shrinks converter design...PF, ED 4, p. 115

4-k NMOS RAM combines high speed and low power...PF, ED 8, p. 148

16-bit microprocessor/mini, a 'first,' uses SOS chips...NEWS, ED 11, p. 25

256 × 4-bit static RAM simplifies system designs...PF, ED 13, p. 134

500-A one chip transistors have super-low $V_{ce}$(sat)...PF, ED 5, p. 80

1000-W solid-state power amplifier ...ART, ED 7, p. 58

2000-A diode offers high reverse voltage at low cost...PF, ED 6, p. 172

4096-bit RAMs making the scene as an alternative to core—finally... NEWS, ED 3, p. 40

## Test and Measuring

A/d and d/a converter testing... ART, ED 7, p. 64

Accurate 10-MHz reference obtained from counter's 1-MHz internal standard...IFD, ED 18, p. 98

Acoustic microscope nearing production...NEWS, ED 9, p. 30

Analyze gaseous mixtures...ED 26, p. 82

Analyze signals as never before with digital methods...SR, ED 24, p. 100

Analyzer picks out patterns in long digital data streams...PF, ED 17, p. 131

Are your humidity readings valid... ART, ED 16, p. 90

Audible gas alarm uses CMOS gates to provide time delays and transient protection...IFD, ED 10, p. 132

Autoranging 80-MHz counter is industry's least expensive...PF, ED 16, p. 123

Build a low-cost ECL logic probe that also has and overrange indicator ...IFD, ED 17, p. 116

Build counters with calculator chips ...ART, ED 26, p. 90

Built-in microprocessor available in scope...NEWS, ED 20, p. 25

AMPERITE

TOP QUALITY

Still at LOW PRICE!



Thermostatic

DELAY RELAYS

*Hermetically Sealed for Maximum Stability*

Delays: 2 to 180 Sec.*

**Hermetically sealed** — not affected by altitude, moisture, or climate changes... **SPST only** — normally open or normally closed... Compensated for ambient temperature changes from —55° to +80°C... **Rugged, explosion-proof, long-lived**... Standard radio octal and 9-pin miniatures.

**Price, standard or min., under $4.00 ea.**

*Miniatures delays: 2 to 120 seconds.

**PROBLEM?** Send for Bulletin No. TR-81.

New! LONG DELAYS

240 & 300 Sec.

Same **rugged construction, hermetic sealing** and **stability** as the shorter Delay Relays described above... For delays beyond 300 seconds, these Relays may be used in series.

**Price, under $6.00 ea.**

**Write for Bulletin No. LD-73.**

DIFFERENTIAL RELAYS

For automatic overload, over-voltage or under-voltage protection... Made only to specifications for 70V, 80V, 90V and 100V.

**Price, under $6.00 ea.**

AMPERITE

BALLAST REGULATORS

Automatically keeps current and voltage at a definite value. For AC or DC... **Hermetically sealed**, rugged, vibration-resistant, compact, most inexpensive.

**Price, under $3.00 ea.**

**Write for 4-p. Bulletin No. AB-51.**

AMPERITE

600 PALISADE AVE., UNION CITY, N.J. 07087

Telephone: 201 UNion 4-9503

In Canada: Atlas Electronics, Ltd., 50 Wingold Ave., Toronto 19





Character-generation circuit uses single Y-axis scope input to display alphanumerics... IFD, ED 4, p. 108

Choose the right storage oscilloscope... ART, ED 24, p. 150

Circuit built with quad op amp measures temperature digitally... IFD, ED 6, p. 160

Design a low-cost pH meter... ART, ED 24, p. 190

Differentiator circuit monitors stability of slowly changing dc signals... IFD, ED 21, p. 128

Digital phase meter gives highest accuracy, at less than $2000... PF, ED 13, p. 127

Diode-resistor network adds user-selected readout capability to scope display system... IFD, ED 1, p. 156

Don't lean on a/d specs... ART, ED 8, p. 80

Don't sweat polar to rectangular... ART, ED 23, p. 129

Explore the lock-in amplifier... ART, ED 21, p. 104

Fastest logic scope captures 8 data streams at 200 MHz... PF, ED 5, p. 69

Find the new and different, turn the package inside-out... SR, ED 24, p. 140

Find the quietest JFETs... ART, ED 23, p. 98

FOCUS on Electronic counters... SR, ED 10, p. 58

FOCUS on Panel meters... SR, ED 16, p. 60

For fast digital troubleshooting, low-cost detectors can't be beat... NEWS, ED 5, p. 26

Function generator offers ASCII programmability... PF, ED 6, p. 68

Generate sine waves digitally with two ICs and eight resistors... IFD, ED 22, p. 152

Generate waveforms with a single IC ... ART, ED 19, p. 132

IC applications demand new highs in instrument accuracy... SR, ED 24, p. 90

In 3 major ways look for changes in compatible equipment... SR, ED 24, p. 74

Instrument speeds noise-figure measuring... NEWS, ED 19, p. 28

Interpolate sampled data rapidly... ART, ED 15, p. 92

It's a new world of measurement at 1 GHz and higher... SR, ED 24, p. 114

It's a wide, wide field, with some 'standards' challenged... SR, ED 24, p. 130

LED test set uses only four components, and it's short-circuit proof, to boot... IFD, ED 22, p. 152

Low power at ohmmeter's probes allows safe usage on most sensitive components... IFD, ED 14, p. 110

Low-power CMOS digital voltmeter built with only six integrated circuits... IFD, ED 22, p. 146

Match impedances with tapered lines ... ART, ED 12, p. 136

Measure open-loop servo response ... ART, ED 24, p. 170

Measure power with a calculator chip ... ART, ED 21, p. 112

Measure sheet resistance easily... ART, ED 4, p. 96

Measure time interval precisely... ART, ED 24, p. 162

Memory tester handles 16 million addresses... PF, ED 8, p. 140

Modules manipulate and send test data at 150 Mbits/s... PF, ED 26, p. 136

Multifeatures at a mini price come with 3-1/2-digit DMM... PF, ED 10, p. 156

Multiplexer lets single-channel scope monitor eight analog signals... IFD, ED 4, p. 110

New problem rises to plague users: panel clutter... SR, ED 24, p. 56

Nondestructive testing advances with unique pulse-echo setup... NEWS, ED 13, p. 50

Peak detector provides both the amplitude and a peak-event timing pulse... IFD, ED 23, p. 140

Photodetector calibrated by electrical method... NEWS, ED 2, p. 28

Plug-ins turn DPM into many instruments... NEWS, ED 7, p. 25

Pocket-sized Geiger counter built with three micropower ICs... IFD, ED 8, p. 114

Predict wideband amplifier response ... ART, ED 25, p. 68

Programmable equality comparator built with single hex inverter... IFD, ED 2, p. 92

Programmable sine-wave oscillator uses only one CMOS IC... IFD, ED 24, p. 200

Pulse echoes to measure size of metal cracks... NEWS, ED 14, p. 30

Semi testing service for medium-sized firms... NEWS, ED 19, p. 28

Sensors in 5 areas are getting tinier, cheaper and more precise... NEWS, ED 15, p. 30

Shock and vibration transducers... ART, ED 21, p. 68

Simple circuit tests coaxial cables for opens, shorts and intermittents... IFD, ED 13, p. 120

Simple tally system ranks events in the order of occurrence... IFD, ED 20, p. 120

Simplified waveform digitizer uses TV camera to capture the trace... NEWS, ED 14, p. 42

Sine/square-wave generator speeds amplifier testing... IFD, ED 22, ED 22, p. 150

Single transistor circuit provides


INFORMATION RETRIEVAL NUMBER 49

CRT-level sweep and blanking signals...IFD, ED 6, p. 62

Six ways to control transients... ART, ED 11, p. 52

Smarter, handier and smaller instruments will appear as unexplored markets open up...NEWS, ED 1, p. 44

Solid-state panel meter fills the gap between analogs and digitals... PF, ED 15, p. 126

Space antennas use quasar signals to predict earthquakes...NEWS, ED 20, p. 38

Spectrum analyzer outperforms rivals in 7 areas—at a price...PF, ED 6, p. 137

Spectrum analyzer takes dynamic input range title...PF, ED 9, p. 236

Switched op amps and a sign detector make 2-quadrant divider a 4-quadrant...IFD, ED 10, p. 134

Test-equipment users suggest software-hardware improvements... SR, ED 6, p. 59

Tester built for less than $10 gives GO/NO GO check of timer ICs... IFD, ED 11, p. 106

Timer/counter chip synthesizes frequencies, and it needs only a few extra parts...IFD, ED 13, p. 114

Tough measurements, try IAs... ART, ED 16, p. 84

Troubleshooters for logic emerge as digital trend gains...SR, ED 24, p. 64

Use pulse instead of cw signals... ART, ED 11, p. 60

View two video sources on one CRT ...ART, ED 10, p. 116

Voltage monitor uses LED indicators to show out-of-tolerance voltage ...IFD, ED 19, p. 176

Voltage probe uses five LEDs to indicate highest level reached... IFD, ED 15, p. 112

Your voice tells when you're lying with small, solid-state analyzer ...NEWS, ED 25, p. 40

2 new ways reported to detect trespassers...NEWS, ED 9, p. 30

2-ton package testing stratosphere pollution...NEWS, ED 11, p. 26

2.2-pound rubidium standard for systems uses only 12 W...PF, ED 5, p. 72

3-output variable supply regulates to within 0.01%...PF, ED 24, p. 220

13-MHz function generator offers both sweep and AM/FM...PF, ED 19, p. 82

20-MHz logic analyzer fits in the palm of a hand...PF, ED 19, p. 194

20-MHz synthesizer unit offered for less than $2000...PF, ED 4, p. 142

50-MHz digital logic scope stores and displays 8 signals...PF, ED 2, p. 103

$99 3-digit panel voltmeter doubles as a counter...PF, ED 19, p. 88





# programmable microvolts for $1,485

**The EDC third generation 501 H has:**

**Speed:** 50 μs switching and settling time
**Ranges:** 100 mV, 10 V, 100 V, 200 V DC
**Resolution:** 1 ppm to steps of 0.1 μV
**Accuracy:** ± 0.005% of programmed value
**Programming:** TTL, BCD 8-4-2-1; other codes available including binary and ASCII
**Options:** Added resolution, ranging, CMOS compatibility
**Accessories (field installable, plug-in):** Serial-to-parallel converter, memory register, opto-isolators, ranging amplifier

For complete specs and prices on the 501 H and other EDC calibrators and standards, circle reader service number. To evaluate the 501 H in your application call Bob Ross at 617-268-9696.

"standards of excellence since 1958"
ELECTRONIC DEVELOPMENT CORPORATION
11 Hamlin St., Boston, MA 02127

INFORMATION RETRIEVAL NUMBER 50

# think small . . . with sub-miniature ceramic capacitors

Thick film hybrid design engineers can choose sub-miniature single and multi-layer ceramic chip capacitors with the widest range in capacitances, sizes, temperature characteristics and terminations in the industry from Centre Engineering.

In frequency critical areas requiring accuracy and stability, consider Centre Engineerings NPO type chip capacitors. Applications requiring less stringent specifications Centre Engineering W5R and Z5U chip capacitors are economy savers.

Single layer and multi-layer ceramic chip capacitors, as small as, .080 x .050 x .55T up to .460 x .420 x .65T with extremely high capacitance to volume ratios are ultri-reliable.

If you are thinking small . . . write for our catalogue.

CENTRE ENGINEERING
2820 E. COLLEGE AVE., STATE COLLEGE, PA 16801
814—237-0321 • TWX 510—691-2634

INFORMATION RETRIEVAL NUMBER 51